

**From:** [Pepper, Amy](#)  
**To:** [mercury2019](#)  
**Cc:** [MOORE Bill L.](#); [GREEN Justin](#); [Iris Silver](#); [Susie Smith](#)  
**Subject:** ACWA REVISED COMMENTS - DEQ Proposed Amendments to Variance Authorization Rule  
**Date:** Friday, November 1, 2019 10:06:26 AM  
**Attachments:** [ACWA Comments on Draft MDV Rule Amendments-10-31-19 REVISED.PDF](#)

---

Mr. Borok ~

Attached you will find the Oregon Association of Clean Water Agencies (ACWA) REVISED comments on the proposed amendments to the Multi-Discharge Variance Rules. Please replace the comments sent yesterday (October 31, 2019) with the comments attached.

Please let me know if you have any comments or questions about this.

Amy Pepper, PE  
ACWA Board Chair

**Amy Pepper**  
*Senior Project Engineer*  
Public Works Support

22500 Salamo Rd  
West Linn, Oregon 97068  
[apecpper@westlinnoregon.gov](mailto:apecpper@westlinnoregon.gov)  
[westlinnoregon.gov](http://westlinnoregon.gov)  
503-722-3437



[Click to Connect!](#)

Please consider the impact on the environment before printing a paper copy of this email.  
This e-mail is subject to the State Retention Schedule and may be made available to the public